

lizon
CERAMICA



Artistry Unleashed
IN EVERY CARVE.

600x1200MM

GLINT
COLLECTION





about US

Artistry of the nature

Welcome to Lizon Ceramica, your premier destination for top-quality ceramic tiles. Situated in the vibrant city of Morbi, Gujarat, we pride ourselves on our commitment to excellence in tile production.

At Lizon Ceramica, we specialize in crafting premium ceramic tiles that embody both style and durability. With state-of-the-art manufacturing facilities and a dedicated team of professionals, we ensure that each tile that bears our name meets the highest standards of quality and craftsmanship. Our extensive range of ceramic tiles caters to a diverse array of design preferences and architectural styles. From sleek and modern designs to timeless classics, we offer a comprehensive selection that empowers our customers to bring their creative visions to life.

We understand the importance of sustainability in today's world, which is why we prioritize eco-friendly manufacturing practices throughout our production process. By incorporating cutting-edge technologies and sustainable materials, we strive to minimize our environmental footprint while delivering exceptional products to our customers.

WHERE INNOVATION MEETS TECHNOLOGY

Ceramic industry is one of the most prosperous sector in our country. While technology is rolling over every other field and improving the standard of production, our company also hoes hand in hand by digitizing itself to provide the promised service and value of their money to our clients and customers.

KEDA



MODENA

HLT





GLINT
COLLECTION

600x1200MM

Among these, carving tiles stand out as a unique and captivating option, adding depth, texture, and a touch of artistry to any surface they adorn.

UNMATCHED ELEGANCE AND STRENGTH

In this time and age, hygiene, cleanliness and comfort is a priority and everyone requires a place where they feel completely at home. The multifaceted surfaces of this collection make everyday life easier while achieving distinction in the decor segment for every home and public area. These surfaces with their convenient features offer an ideal tiling solution for a modern lifestyle.



HIGH
STRENGTH



EASY
MAINTENANCE



SOUND
REDUCTION



DIMENSIONAL
STABILITY



HYGIENIC
SURFACE



WATER
RESISTANT



FIRE
RESISTANT



CHEMICAL
RESISTANT



IMPACT
RESISTANCE



THERMAL
RESISTANCE




APPLICATION AREA

Design any surface or volume from the Synergy between wit, evolution, and material, to develop all types of continuous surfaces worktops, counters and furniture among Other applications.



LIVING
AREA



CORPORATE
OFFICES



MALLS &
RESTAURANT



INTERIORS &
COUNTERTOPS



HOSPITALS
AREA



GYM &
URBAN CENTERS

BRING THE NATURAL
BEAUTY OF EARTHY SHADES
THAT ADD A MAJESTIC TOUCH...






ARREZO RUST

Finish :
CARVING SURFACE

Thickness :
8.5MM

Size :
600X1200MM
60X120CM
2'X4'



4
RANDOMS






ARMEL BEIGE

Finish :
CARVING SURFACE

Thickness :
8.5MM

Size :
600X1200MM
60X120CM
2'X4'








lizon
CERAMICA

ARMEL BIANCO

Finish :
CARVING SURFACE

Thickness :
8.5MM

Size :
600X1200MM
60X120CM
2'X4'



7
RANDOMS





ARMEL GREY

Finish :
CARVING SURFACE

Thickness :
8.5MM

Size :
600X1200MM
60X120CM
2'X4'






BLANCOS GRIS

Finish :
CARVING SURFACE

Thickness :
8.5MM

Size :
600X1200MM
60X120CM
2'X4'








BLANCOS BEIGE

Finish :
CARVING SURFACE

Thickness :
8.5MM

Size :
600X1200MM
60X120CM
2'X4'






lizon
CERAMICA

BLANCOS GREY

Finish :
CARVING SURFACE

Thickness :
8.5MM

Size :
600X1200MM
60X120CM
2'X4'



7
RANDOMS



BLICK GREY

Finish :
CARVING SURFACE

Thickness :
8.5MM

Size :
600X1200MM
60X120CM
2'X4'








lizon
CERAMICA

BLICK DOVE

Finish :
CARVING SURFACE

Thickness :
8.5MM

Size :
600X1200MM
60X120CM
2'X4'



6
RANDOMS





CANARY GREY





Finish :
CARVING SURFACE

Thickness :
8.5MM

Size :
600X1200MM
60X120CM
2'X4'








lizon
CERAMICA

CANARY BIANCO

Finish :
CARVING SURFACE

Thickness :
8.5MM

Size :
600X1200MM
60X120CM
2'X4'



6
RANDOMS



CEDAL GREY

Finish :
CARVING SURFACE

Thickness :
8.5MM

Size :
600X1200MM
60X120CM
2'X4'



5
RANDOMS








CEDAL WHITE

Finish :
CARVING SURFACE

Thickness :
8.5MM

Size :
600X1200MM
60X120CM
2'X4'



5
RANDOMS



CLIMA BEIGE



Finish :
CARVING SURFACE

Thickness :
8.5MM

Size :
600X1200MM
60X120CM
2'X4'








lizon
CERAMICA

DION WHITE

Finish :
CARVING SURFACE

Thickness :
8.5MM

Size :
600X1200MM
60X120CM
2'X4'



7
RANDOMS





DION GREY

Finish :
CARVING SURFACE

Thickness :
8.5MM

Size :
600X1200MM
60X120CM
2'X4'






lizon
CERAMICA

ENVIRE CREMA

Finish :
CARVING SURFACE

Thickness :
8.5MM

Size :
600X1200MM
60X120CM
2'X4'



7
RANDOMS











FINO GREY

Finish :
CARVING SURFACE

Thickness :
8.5MM

Size :
600X1200MM
60X120CM
2'X4'








lizon
CERAMICA

FINO BEIGE

Finish :
CARVING SURFACE

Thickness :
8.5MM

Size :
600X1200MM
60X120CM
2'X4'



4
RANDOMS



FINO BIANCO

Finish :
CARVING SURFACE

Thickness :
8.5MM

Size :
600X1200MM
60X120CM
2'X4'






lizon
CERAMICA

FORNIA BIANCO

Finish :
CARVING SURFACE

Thickness :
8.5MM

Size :
600X1200MM
60X120CM
2'X4'



7
RANDOMS





FORNIA BEIGE

Finish :
CARVING SURFACE

Thickness :
8.5MM

Size :
600X1200MM
60X120CM
2'X4'






lizon
CERAMICA

FORNIA GREY

Finish :
CARVING SURFACE

Thickness :
8.5MM

Size :
600X1200MM
60X120CM
2'X4'



7
RANDOMS





GOLDEN MARCO

Finish :
CARVING SURFACE

Thickness :
8.5MM

Size :
600X1200MM
60X120CM
2'X4'








lizon
CERAMICA

GRACE GREY

Finish :
CARVING SURFACE

Thickness :
8.5MM

Size :
600X1200MM
60X120CM
2'X4'



5
RANDOMS






GRACE BIANCO

Finish :
CARVING SURFACE

Thickness :
8.5MM

Size :
600X1200MM
60X120CM
2'X4'






lizon
CERAMICA

HERICAN BEIGE

Finish :
CARVING SURFACE

Thickness :
8.5MM

Size :
600X1200MM
60X120CM
2'X4'



5
RANDOMS






HERICAN WHITE

Finish :
CARVING SURFACE

Thickness :
8.5MM

Size :
600X1200MM
60X120CM
2'X4'






lizon
CERAMICA

KOLAN WHITE

Finish :
CARVING SURFACE

Thickness :
8.5MM

Size :
600X1200MM
60X120CM
2'X4'



7
RANDOMS





KOLAN BEIGE

Finish :
CARVING SURFACE

Thickness :
8.5MM

Size :
600X1200MM
60X120CM
2'X4'






lizon
CERAMICA

LIZZARO BEIGE

Finish :
CARVING SURFACE

Thickness :
8.5MM

Size :
600X1200MM
60X120CM
2'X4'



4
RANDOMS








LIZZARO WHITE

Finish :
CARVING SURFACE

Thickness :
8.5MM

Size :
600X1200MM
60X120CM
2'X4'






lizon
CERAMICA

ORIAN GREY

Finish :
CARVING SURFACE

Thickness :
8.5MM

Size :
600X1200MM
60X120CM
2'X4'



6
RANDOMS







ORIAN BIANCO

Finish :
CARVING SURFACE

Thickness :
8.5MM

Size :
600X1200MM
60X120CM
2'X4'






lizon
CERAMICA

POLENTA BEIGE

Finish :
CARVING SURFACE

Thickness :
8.5MM

Size :
600X1200MM
60X120CM
2'X4'



5
RANDOMS





POLENTA CHOCO


Finish :
CARVING SURFACE

Thickness :
8.5MM

Size :
600X1200MM
60X120CM
2'X4'



5
RANDOMS






lizon
CERAMICA

POLENTA GREY

Finish :
CARVING SURFACE

Thickness :
8.5MM

Size :
600X1200MM
60X120CM
2'X4'



5
RANDOMS




SAGON GREY

Finish :
CARVING SURFACE

Thickness :
8.5MM

Size :
600X1200MM
60X120CM
2'X4'








lizon
CERAMICA

SAGON BEIGE

Finish :
CARVING SURFACE

Thickness :
8.5MM

Size :
600X1200MM
60X120CM
2'X4'



7
RANDOMS



SAGON BIANCO

Finish :
CARVING SURFACE

Thickness :
8.5MM

Size :
600X1200MM
60X120CM
2'X4'






lizon
CERAMICA

SAGON BROWN

Finish :
CARVING SURFACE

Thickness :
8.5MM

Size :
600X1200MM
60X120CM
2'X4'



7
RANDOMS



SIVAS CHOCO


Finish :
CARVING SURFACE

Thickness :
8.5MM


Size :
600X1200MM
60X120CM
2'X4'



7
RANDOMS








lizon
CERAMICA

SIVAS BEIGE

Finish :
CARVING SURFACE

Thickness :
8.5MM

Size :
600X1200MM
60X120CM
2'X4'



7
RANDOMS



SIVAS GREY

Finish :
CARVING SURFACE

Thickness :
8.5MM

Size :
600X1200MM
60X120CM
2'X4'






lizon
CERAMICA

STATUARIO VISCO

Finish :
CARVING SURFACE

Thickness :
8.5MM

Size :
600X1200MM
60X120CM
2'X4'



6
RANDOMS






STATUARIO GLENZA


Finish :
CARVING SURFACE

Thickness :
8.5MM

Size :
600X1200MM
60X120CM
2'X4'







lizon
CERAMICA

STATURIO ALIOS

Finish :
CARVING SURFACE

Thickness :
8.5MM

Size :
600X1200MM
60X120CM
2'X4'



5
RANDOMS






STATURIO LITHIC

Finish :
CARVING SURFACE

Thickness :
8.5MM

Size :
600X1200MM
60X120CM
2'X4'








lizon
CERAMICA

SYBER BEIGE

Finish :
CARVING SURFACE

Thickness :
8.5MM

Size :
600X1200MM
60X120CM
2'X4'



6
RANDOMS





SYBER BIANCO

Finish :
CARVING SURFACE

Thickness :
8.5MM

Size :
600X1200MM
60X120CM
2'X4'



6
RANDOMS






lizon
CERAMICA

SYBER GREY

Finish :
CARVING SURFACE

Thickness :
8.5MM

Size :
600X1200MM
60X120CM
2'X4'



6
RANDOMS




TIANNA GREY

Finish :
CARVING SURFACE

Thickness :
8.5MM

Size :
600X1200MM
60X120CM
2'X4'



6
RANDOMS








lizon
CERAMICA

TIANNA BIANCO

Finish :
CARVING SURFACE

Thickness :
8.5MM

Size :
600X1200MM
60X120CM
2'X4'



6
RANDOMS



TORSO BROWN

Finish :
CARVING SURFACE

Thickness :
8.5MM

Size :
600X1200MM
60X120CM
2'X4'








lizon
CERAMICA

TORSO BEIGE

Finish :
CARVING SURFACE

Thickness :
8.5MM

Size :
600X1200MM
60X120CM
2'X4'



5
RANDOMS



TORSO BIANCO

Finish :
CARVING SURFACE

Thickness :
8.5MM

Size :
600X1200MM
60X120CM
2'X4'





lizon
CERAMICA

TORSO GREY

Finish :
CARVING SURFACE

Thickness :
8.5MM

Size :
600X1200MM
60X120CM
2'X4'



5
RANDOMS



WIXON BROWN

Finish :
CARVING SURFACE

Thickness :
8.5MM

Size :
600X1200MM
60X120CM
2'X4'








lizon
CERAMICA

WIXON BEIGE

Finish :
CARVING SURFACE

Thickness :
8.5MM

Size :
600X1200MM
60X120CM
2'X4'



3
RANDOMS









XAAR GREY



Finish :
CARVING SURFACE

Thickness :
8.5MM

Size :
600X1200MM
60X120CM
2'X4'








lizon
CERAMICA

XAAR BEIGE

Finish :
CARVING SURFACE

Thickness :
8.5MM

Size :
600X1200MM
60X120CM
2'X4'



↖
7
RANDOMS



XAAR BIANCO

Finish :
CARVING SURFACE

Thickness :
8.5MM

Size :
600X1200MM
60X120CM
2'X4'






XAAR BROWN

Finish :
CARVING SURFACE

Thickness :
8.5MM

Size :
600X1200MM
60X120CM
2'X4'



TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.B1a	MEAN VALUE OF LIZON	TEST METHOD
Regulatory Properties			
Deviation in length and width	± 0.30 % (±1.00mm)	± 0.10 %	ISO 10545-2
Deviation in thickness	± 5.00 % (±0.50mm)	± 4.00 %	ISO 10545-2
Straightness in side	± 0.30 % (±0.80mm)	± 0.10 %	ISO 10545-2
Rectangularity	± 0.30 % (±1.50mm)	± 0.10 %	ISO 10545-2
Surface flatness central curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
Surface flatness edge curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
Surface flatness warpage	± 0.40 % (±1.80mm)	± 0.10 %	ISO 10545-2
Surface quality	> 95% defects free	> 95% defects free	ISO 10545-2
Small Color Difference(For Plain Color)	ΔE < 1.00	ΔE < 0.30	ISO 10545-16
Glossiness (Polished)	as per mfg.	Gloss Value > 90	Glossmeter 60°
Glossiness (Matt)	as per mfg.	3° < GLOSS < 7°	Glossmeter 60°
Glossiness (satin/Posh)	as per mfg.	7° < GLOSS < 18°	Glossmeter 60°
Structural Properties			
Water absorption	0.50 % ≤ Ev ≤ 3.00 %	0.060 % ≤ Ev ≤ 3.00 %	ISO 10545-3
Bulk density	as per mfg.	> 2.28 gm/cc	ISO 10545-3
Massive Mechanical Properties			
Modulus of rupture	Min. 30.0 N/mm ²	Min. 35.0 N/mm ²	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 700.0 N	Min. 1000.0 N	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 1100.0 N	Min. 1300.0 N	ISO 10545-4
Breaking strength thickness ≥7.5(For ≥15mm)	Min. 1100.0 N	Min. 1800.0 N	ISO 10545-4
Surface Mechanical Properties			
MOH'S hardness	as per mfg.	Polished Min 4* / Satin, Posh & Matt Min 6	BS EN 15771
Surface abrasion resistance	as per mfg.	Polish Min. Class 2, Satin & Posh Min. Class 3, & Matt Min. Class 4	ISO 10545-7
Deep abrasion resistance	Max. 175mm ³	Max. 132mm ³	ISO 10545-6
Thermal Hydrometric Properties			
Moisture expansion	Max. 0.06%(0.6mm/m)	0.02mm/m	ISO 10545-10
Thermal expansion(COE) at 100°C	as per mfg.	Max. 6.0 x 10 ⁻⁶	ISO 10545-8
Thermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Impact resistance(COR)	Min. 0.55	Min. 0.55	ISO 10545-5
Frost resistance	as per mfg.	Frost Proof	ISO 10545-12
Chemical Properties			
Resistance to staining glazed	Min. Class 3	Min. Class 4	ISO 10545-14
Resistance to household chemicals & swimming pool salts glazed	Min. Class GB	Min. Class GA	ISO 10545-13
Resistance to low concentrate acid and alkalis glazed	as per mfg.	Min. Class GLA**	ISO 10545-13
Resistance to high concentrate acid and alkalis unglazed	as per mfg.	Min. Class GHB**	ISO 10545-13
Safety Properties			
Skid resistance (COF-WET PENDULAM)##	as per mfg.	Glossy P0(<12), Satin, Posh ≥P1(12-24) Matt ≥P2(25-34)	BS 7976-2
Slip resistance - (Satin / Matt (DCOF) (R value)##	as per mfg.	R9 to R13**	DIN 51130
Fire resistance	as per mfg.	Fire Proof	N.A.

PACKING DETAILS

SIZE	ACTUAL SIZE	THICKNESS	TILES / BOX	COVERAGE AREA / BOX
60x120cm	600x1200mm	8.5mm	3 pcs.	2.16 sq. mtr. 23.25 sq. ft.
60x120cm	600x1200mm	8.5mm	2 pcs.	1.44 sq. mtr. 15.50 sq. ft.



LIZON CERAMICA LLP

NH 8/A, Matel Dhuvu Rd, Lakadhar,
Wankaner, Morbi, Gujarat 363621

E-mail : info@lizonceramica.com | Call : +91 9913077772

www.lizonceramica.com