

Majestic Ambiance OF SPLENDID MARBLES

600x1200MM

Glamore



CERAMICA

about US

Welcome to Lizon Ceramica, your premier destination for top-quality ceramic tiles. Situated in the vibrant city of Morbi, Gujarat, we pride ourselves on our commitment to excellence in tile production.

At Lizon Ceramica, we specialize in crafting premium ceramic tiles that embody both style and durability. With state-of-the-art manufacturing facilities and a dedicated team of professionals, we ensure that each tile that bears our name meets the highest standards of quality and craftsmanship. Our extensive range of ceramic tiles caters to a diverse array of design preferences and architectural styles. From sleek and modern designs to timeless classics, we offer a comprehensive selection that empowers our customers to bring their creative visions to life.

We understand the importance of sustainability in today's world, which is why we prioritize eco-friendly manufacturing practices throughout our production process. By incorporating cutting-edge technologies and sustainable materials, we strive to minimize our environmental footprint while delivering exceptional products to our customers.

Artistry of the nature

WHERE INNOVATION MEETS TECHNOLOGY


Ceramic industry is one of the most prosperous sector in our country. While technology is rolling over every other field and improving the standard of production, our company also hoes hand in hand by digitizing itself to provide the promised service and value of their money to our clients and customers.





/\y\\ MODENA





600x1200MM

COLLECTION

amore

Glamore collection emerge as a distinctive and enchanting choice, infusing any surface they adorn with a vibrant array of colors, texture, and a hint of playful charm.

UNMATCHED ELEGANCE AND STRENGTH

In this time and age, hygiene, cleanliness and comfort is a priority and everyone requires a place where they feel completely at home. The multifaceted surfaces of this collection make everyday life easier while achieving distinction in the decor segment for every home and public area. These surfaces with their convenient features offer an ideal tiling solution for a modern lifestyle.

STABILITY

IMPACT

RESISTANCE

DIMENSIONAL







STRENGTH



WATER

RESISTANT



FIRE

RESISTANT

EASY

MAINTENANCE







-17

SOUND

REDUCTION



CHEMICAL RESISTANT



HYGIENIC

SURFACE

THERMAL RESISTANCE



APPLICATION AREA

Design any surface or volume from the Synergy between wit, evolution, and material, to develop all types of continuous surfaces worktops, counters and furniture among Other applications.



CORPORATE OFFICES MALLS & RESTAURANT INTERIORS & COUNTERTOPS

HOSPITALS AREA



GYM & URBAN CENTERS






ALEXA AQUA

Finish : HIGH GLOSSY SURFACE

Thickness : **8.5MM**






























ALGARIA NATURAL

Finish : HIGH GLOSSY SURFACE

Thickness : 8.5MM






ALPINE GREEN

Finish : HIGH GLOSSY SURFACE

Thickness : **8.5MM**






























ANVI PINK

Finish : HIGH GLOSSY SURFACE

Thickness : **8.5MM**







ARTISIAN TEAL

Finish : HIGH GLOSSY SURFACE


Thickness : **8.5MM**






























ASCOT LAVA

Finish : HIGH GLOSSY SURFACE

Thickness : **8.5MM**






AVILA CHOCO

Finish : HIGH GLOSSY SURFACE

Thickness : **8.5MM**





























BONANZA TEAL

Finish : HIGH GLOSSY SURFACE

Thickness : 8.5MM






CARPE NATURAL

Finish : HIGH GLOSSY SURFACE

Thickness : **8.5MM**





























CENIA MINT

Finish : HIGH GLOSSY SURFACE

Thickness : 8.5MM








CENIA PINK

Finish : HIGH GLOSSY SURFACE

Thickness : **8.5MM**































CENIA PISTA

Finish : HIGH GLOSSY SURFACE

Thickness : **8.5MM**







DESIRE PISTA

Finish : HIGH GLOSSY SURFACE

Thickness : **8.5MM**



















FENIX CHILI

Finish : HIGH GLOSSY SURFACE

Thickness : **8.5MM**






FERRY LEMON

Finish : HIGH GLOSSY SURFACE

Thickness : **8.5MM**


































FLOW NATURAL

Finish : HIGH GLOSSY SURFACE

Thickness : **8.5MM**








ITALIAN RED

Finish : HIGH GLOSSY SURFACE

Thickness : **8.5MM**























METIC NUTS

Finish : HIGH GLOSSY SURFACE

Thickness : 8.5MM






NOMADE MUD

Finish : HIGH GLOSSY SURFACE

Thickness : **8.5MM**



























NOVELLA GREEN

Finish : HIGH GLOSSY SURFACE

Thickness : 8.5MM








NOVELLA ORANGE

Finish : HIGH GLOSSY SURFACE

Thickness : **8.5MM**































ODINE MANGO

Finish : HIGH GLOSSY SURFACE

Thickness : 8.5MM






ODINE PALK

Finish : HIGH GLOSSY SURFACE

Thickness : **8.5MM**





























ODINE ROSE

Finish : HIGH GLOSSY SURFACE

Thickness : 8.5MM








ODINE SKY

Finish : HIGH GLOSSY SURFACE

Thickness : **8.5MM**






























PERLATO NATURAL

Finish : HIGH GLOSSY SURFACE

Thickness : 8.5MM






SILINA BLUE

Finish : HIGH GLOSSY SURFACE

Thickness : **8.5MM**

























SILINA NATURAL

Finish : HIGH GLOSSY SURFACE

Thickness : 8.5MM







SKIZY WENGE

Finish : HIGH GLOSSY SURFACE

Thickness : **8.5MM**





































SPARKLE GRANDE

Finish : HIGH GLOSSY SURFACE

Thickness : 8.5MM








SPARKLE MINT

Finish : HIGH GLOSSY SURFACE

Thickness : **8.5MM**































STROM NATURAL

Finish : HIGH GLOSSY SURFACE

Thickness : **8.5MM**






TIGERLY NATURAL

Finish : HIGH GLOSSY SURFACE

Thickness : **8.5MM**




































ULTRON GREEN

Finish : HIGH GLOSSY SURFACE

Thickness : 8.5MM









ULTRON PINK

Finish : HIGH GLOSSY SURFACE

Thickness : **8.5MM**



















VERTEX SAND

Finish : HIGH GLOSSY SURFACE

Thickness : 8.5MM









VERTEX NERO

Finish : HIGH GLOSSY SURFACE

Thickness : **8.5MM**



























VIVID CREMA

Finish : HIGH GLOSSY SURFACE

Thickness : 8.5MM



TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.Bla	MEAN VALUE OF LIZON	TEST METHOD	
Regulatory Properties				
Deviation in length and width	± 0.30 % (±1.00mm)	± 0.10 %	ISO 10545-2	
Deviation in thickness	± 5.00 % (±0.50mm)	± 4.00 %	ISO 10545-2	
traightness in side	± 0.30 % (±0.80mm)	± 0.10 %	ISO 10545-2	
Rectangularity	± 0.30 % (±1.50mm)	± 0.10 %	ISO 10545-2	
urface flatness central curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2	
urface flatness edge curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2	
urface flatness warpage	± 0.40 % (±1.80mm)	± 0.10 %	ISO 10545-2	
urface quality	> 95% defects free	> 95% defects free	ISO 10545-2	
mall Color Difference(For Plain Color)	∆E <1.00	∆E < 0.30	ISO 10545-16	
Glossiness (Polished)	as per mfg.	Gloss Value > 90	Glossmeter 60°	
Glossiness (Matt)	as per mfg.	3° < GLOSS < 7°	Glossmeter 60°	
Glossiness (satin/Posh)	as per mfg.	7° < GLOSS < 18°	Glossmeter 60°	
ructural Properties				
Vater absorption	0.50 % ≤ Ev ≤ 3.00 %	0.060 % ≤ Ev ≤ 3.00 %	ISO 10545-3	
ulk density	as per mfg.	> 2.28 gm/cc	ISO 10545-3	
Aassive Mechanical Properties				
Nodulus of rupture	Min. 30.0 N/mm ²	Min. 35.0 N/mm ²	ISO 10545-4	
reaking strength thickness ≥7.5	Min. 700.0 N	Min. 1000.0 N	ISO 10545-4	
reaking strength thickness ≥7.5	Min. 1100.0 N	Min. 1300.0 N	ISO 10545-4	
reaking strength thickness ≥7.5(For ≥15mm)	Min. 1100.0 N	Min. 1800.0 N	ISO 10545-4	
urface Mechanical Properties				
10H'S hardness	as per mfg.	Polished Min 4* / Satin,Posh & Matt Min 6	BS EN 15771	
urface abrasion resistance	as per mfg.	Polish Min. Class 2, Satin & Posh Min. Class 3, & Matt Min. Class 4	ISO 10545-7	
Deep abrasion resistance	Max. 175mm ³	Max. 132mm ³	ISO 10545-6	
nermal Hydrometric Properties				
loisture expansion	Max. 0.06%(0.6mm/m)	0.02mm/m	ISO 10545-10	
nermal expansion(COE) at 100°C	as per mfg.	Max. 6.0 x 10 ⁻⁶	ISO 10545-8	
nermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9	
npact resistance(COR)	Min. 0.55	Min. 0.55	ISO 10545-5	
rost resistance	as per mfg.	Frost Proof	ISO 10545-12	
hemical Properties				
esistance to staining glazed	Min. Class 3	Min. Class 4	ISO 10545-14	
esistance to household chemicals & wimming pool salts glazed	Min. Class GB	Min. Class GA	ISO 10545-13	
esistance to low concentrate acid and Ikalis glazed	as per mfg.	Min. Class GLA**	ISO 10545-13	
Resistance to high concentrate acid and alkalis unglazed	as per mfg.	Min. Class GHB**	ISO 10545-13	
afety Properties				
kid resistance COF-WET PENDULAM)##	as per mfg.	Glossy P0(<12),Satin, Posh ≥P1(12-24) Matt ≥P2(25-34)	BS 7976-2	
silip resistance - (Satin / Matt (DCOF) R value)##	as per mfg.	R9 to R13** DIN 51130		
Fire resistance	as per mfg.	Fire Proof	N.A.	

PACKING DETAILS

SIZE	ACTUAL SIZE	THICKNESS	TILES / BOX	COVERAGE AREA / BOX	
60x120cm	600x1200mm	8.5mm	3 pcs.	2.16 sq. mtr.	23.25 sq. ft.
60x120cm	600x1200mm	8.5mm	2 pcs.	1.44 sq. mtr.	15.50 sq. ft.

LIZON CERAMICA LLP

NH 8/A, Matel Dhuva Rd, Lakadhar, Wankaner, Morbi, Gujarat 363621

E-mail : info@lizonceramica.com | Call : +91 9913077772

www.lizonceramica.com

