

The background features a detailed, artistic pattern of white and cream-colored flowers and leaves on a warm, brownish-gold background. The flowers have delicate, feathery petals and stems. In the bottom right corner, a vintage-style rotary telephone with a dark purple or maroon body and brass accents is partially visible, adding a touch of classic elegance to the composition.

lizon
CERAMICA

Impressive Details
FOR EVOCATIVE SPACES

600x1200MM

DEKOR
COLLECTION



about US

Artistry of the nature

Welcome to Lizon Ceramica, your premier destination for top-quality ceramic tiles. Situated in the vibrant city of Morbi, Gujarat, we pride ourselves on our commitment to excellence in tile production.

At Lizon Ceramica, we specialize in crafting premium ceramic tiles that embody both style and durability. With state-of-the-art manufacturing facilities and a dedicated team of professionals, we ensure that each tile that bears our name meets the highest standards of quality and craftsmanship. Our extensive range of ceramic tiles caters to a diverse array of design preferences and architectural styles. From sleek and modern designs to timeless classics, we offer a comprehensive selection that empowers our customers to bring their creative visions to life.

We understand the importance of sustainability in today's world, which is why we prioritize eco-friendly manufacturing practices throughout our production process. By incorporating cutting-edge technologies and sustainable materials, we strive to minimize our environmental footprint while delivering exceptional products to our customers.

WHERE INNOVATION MEETS TECHNOLOGY

Ceramic industry is one of the most prosperous sector in our country. While technology is rolling over every other field and improving the standard of production, our company also hoes hand in hand by digitizing itself to provide the promised service and value of their money to our clients and customers.





DEKOR COLLECTION

600x1200MM

Welcome to our Dekor Collection, where every tile is a statement piece. Infuse your space with vibrant colors, rich textures, and a touch of playful charm.



UNMATCHED ELEGANCE AND STRENGTH

In this time and age, hygiene, cleanliness and comfort is a priority and everyone requires a place where they feel completely at home. The multifaceted surfaces of this collection make everyday life easier while achieving distinction in the decor segment for every home and public area. These surfaces with their convenient features offer an ideal tiling solution for a modern lifestyle.



HIGH
STRENGTH



EASY
MAINTENANCE



SOUND
REDUCTION



DIMENSIONAL
STABILITY



HYGIENIC
SURFACE



WATER
RESISTANT



FIRE
RESISTANT




CHEMICAL
RESISTANT



IMPACT
RESISTANCE



THERMAL
RESISTANCE



APPLICATION AREA


Design any surface or volume from the Synergy between wit, evolution, and material, to develop all types of continuous surfaces worktops, counters and furniture among Other applications.



LIVING
AREA



CORPORATE
OFFICES



MALLS &
RESTAURANT



INTERIORS &
COUNTERTOPS



HOSPITALS
AREA



GYM &
URBAN CENTERS


BRING THE NATURAL
BEAUTY OF EARTHY SHADES
THAT ADD A MAJESTIC TOUCH...





ARTIQUE SKIN

Randoms **04**



MILOS CREMA

Randoms **04**

DESIGN IN FRAME :
**ARTIQUE
FARME**

INFORMATION

SURFACE :
MATT SURFACE

THICKNESS :
8.5 MM

DIMENSION :
600X1200MM | 60X120CM




RANDOMS





PREVIEW OF **ARTIQUE FARME**, **ARTIQUE SKIN** & **MILOS CREMA** / 60X120CM



CARDIF BROWN

Randoms **04**



LAPIS BEIGE

Randoms **04**

DESIGN IN FRAME :
**CARDIF
GLINT**

INFORMATION

SURFACE :
MATT SURFACE

THICKNESS :
8.5 MM

DIMENSION :
600X1200MM | 60X120CM





PREVIEW OF **CARDIF GLINT**, **CARDIF BROWN** & **LAPIS BEIGE** / 60X120CM



ELEMENTO GOLD

Randoms **04**



LAPIS BEIGE

Randoms **04**

DESIGN IN FRAME :
**ELEMENTO
GOLD ART**

INFORMATION

SURFACE :
MATT SURFACE


THICKNESS :
8.5 MM

DIMENSION :
600X1200MM | 60X120CM






PREVIEW OF **ELEMENTO CAFFE ART**, **ELEMENTO GOLD** & **LAPIS BEIGE** / 60X120CM



FORT GRAPHITE

Randoms **04**



HERRY BIANCO

Randoms **04**

DESIGN IN FRAME :
**FORT
GLEMAR**

INFORMATION

SURFACE :
MATT SURFACE


THICKNESS :
8.5 MM

DIMENSION :
600X1200MM | 60X120CM





PREVIEW OF **FORT GLEMAR, FORT GRAPHITE & HERRY BIANCO** / 60X120CM



HERRY BIANCO

Randoms **04**

DESIGN IN FRAME :

HERRY ARALIA

INFORMATION

SURFACE :
MATT SURFACE


THICKNESS :
8.5 MM

DIMENSION :
600X1200MM | 60X120CM





PREVIEW OF **HERRY ARALIA** & **HERRY BIANCO** / 60X120CM



HERRY BIANCO

Randoms **04**

DESIGN IN FRAME :

HERRY LUBIA

INFORMATION

SURFACE :
MATT SURFACE

THICKNESS :
8.5 MM

DIMENSION :
600X1200MM | 60X120CM




RANDOMS





PREVIEW OF **HERRY LUBIA & HERRY BIANCO** / 60X120CM



HERRY BIANCO

Randoms **04**

DESIGN IN FRAME :
**HERRY
VALCANO**

INFORMATION

SURFACE :
MATT SURFACE

THICKNESS :
8.5 MM

DIMENSION :
600X1200MM | 60X120CM




RANDOMS






PREVIEW OF **HERRY VALCANO & HERRY BIANCO** / 60X120CM



ITALO VERDE

Randoms **04**



HERRY BIANCO

Randoms **04**

DESIGN IN FRAME :

ITALO GREAK

INFORMATION

SURFACE :
MATT SURFACE

THICKNESS :
8.5 MM

DIMENSION :
600X1200MM | 60X120CM





PREVIEW OF **ITALO GREAK**, **ITALO VERDE** & **HERRY BIANCO** / 60X120CM



LAPIS BEIGE DARK

Randoms **04**



LAPIS BEIGE

Randoms **04**


DESIGN IN FRAME :
LAPIS

INFORMATION

SURFACE :
MATT SURFACE


THICKNESS :
8.5 MM

DIMENSION :
600X1200MM | 60X120CM





PREVIEW OF LAPIS, LAPIS BEIGE DARK & LAPIS BEIGE / 60X120CM



MILOS CREMA

Randoms **04**

DESIGN IN FRAME :
**MILOS
DOLLAR**

INFORMATION

SURFACE :
MATT SURFACE

THICKNESS :
8.5 MM

DIMENSION :
600X1200MM | 60X120CM



RANDOMS





PREVIEW OF MILOS DOLLAR & MILOS CREMA / 60X120CM



PRESO GREY

Randoms **04**



HERRY BIANCO

Randoms **04**

DESIGN IN FRAME :

PRESO LEAF

INFORMATION

SURFACE :
MATT SURFACE

THICKNESS :
8.5 MM

DIMENSION :
600X1200MM | 60X120CM






PREVIEW OF **PRESO LEAF**, **PRESO GREY** & **HERRY BIANCO** / 60X120CM



PRESO GREY

Randoms **04**



HERRY BIANCO

Randoms **04**

DESIGN IN FRAME :

PRESO LIME

INFORMATION

SURFACE :
MATT SURFACE

THICKNESS :
8.5 MM

DIMENSION :
600X1200MM | 60X120CM




RANDOMS






PREVIEW OF **PRESO LIME, PRESO GREY & HERRY BIANCO** / 60X120CM



VENICE CHOCO

Randoms **04**



MILOS CREMA

Randoms **04**

DESIGN IN FRAME :
**VENICE
CALDIA**

INFORMATION

SURFACE :
MATT SURFACE

THICKNESS :
8.5 MM

DIMENSION :
600X1200MM | 60X120CM





PREVIEW OF **VENICE CALDIA**, **VENICE CHOCO** & **MILOS CREMA** / 60X120CM

TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.B1a	MEAN VALUE OF LIZON	TEST METHOD
Regulatory Properties			
Deviation in length and width	± 0.30 % (±1.00mm)	± 0.10 %	ISO 10545-2
Deviation in thickness	± 5.00 % (±0.50mm)	± 4.00 %	ISO 10545-2
Straightness in side	± 0.30 % (±0.80mm)	± 0.10 %	ISO 10545-2
Rectangularity	± 0.30 % (±1.50mm)	± 0.10 %	ISO 10545-2
Surface flatness central curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
Surface flatness edge curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
Surface flatness warpage	± 0.40 % (±1.80mm)	± 0.10 %	ISO 10545-2
Surface quality	> 95% defects free	> 95% defects free	ISO 10545-2
Small Color Difference(For Plain Color)	ΔE < 1.00	ΔE < 0.30	ISO 10545-16
Glossiness (Polished)	as per mfg.	Gloss Value > 90	Glossmeter 60°
Glossiness (Matt)	as per mfg.	3° < GLOSS < 7°	Glossmeter 60°
Glossiness (satin/Posh)	as per mfg.	7° < GLOSS < 18°	Glossmeter 60°
Structural Properties			
Water absorption	0.50 % ≤ Ev ≤ 3.00 %	0.060 % ≤ Ev ≤ 3.00 %	ISO 10545-3
Bulk density	as per mfg.	> 2.28 gm/cc	ISO 10545-3
Massive Mechanical Properties			
Modulus of rupture	Min. 30.0 N/mm ²	Min. 35.0 N/mm ²	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 700.0 N	Min. 1000.0 N	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 1100.0 N	Min. 1300.0 N	ISO 10545-4
Breaking strength thickness ≥7.5(For ≥15mm)	Min. 1100.0 N	Min. 1800.0 N	ISO 10545-4
Surface Mechanical Properties			
MOH'S hardness	as per mfg.	Polished Min 4* / Satin, Posh & Matt Min 6	BS EN 15771
Surface abrasion resistance	as per mfg.	Polish Min. Class 2, Satin & Posh Min. Class 3, & Matt Min. Class 4	ISO 10545-7
Deep abrasion resistance	Max. 175mm ³	Max. 132mm ³	ISO 10545-6
Thermal Hydrometric Properties			
Moisture expansion	Max. 0.06%(0.6mm/m)	0.02mm/m	ISO 10545-10
Thermal expansion(COE) at 100°C	as per mfg.	Max. 6.0 x 10 ⁻⁶	ISO 10545-8
Thermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Impact resistance(COR)	Min. 0.55	Min. 0.55	ISO 10545-5
Frost resistance	as per mfg.	Frost Proof	ISO 10545-12
Chemical Properties			
Resistance to staining glazed	Min. Class 3	Min. Class 4	ISO 10545-14
Resistance to household chemicals & swimming pool salts glazed	Min. Class GB	Min. Class GA	ISO 10545-13
Resistance to low concentrate acid and alkalis glazed	as per mfg.	Min. Class GLA**	ISO 10545-13
Resistance to high concentrate acid and alkalis unglazed	as per mfg.	Min. Class GHB**	ISO 10545-13
Safety Properties			
Skid resistance (COF-WET PENDULAM)##	as per mfg.	Glossy P0(<12), Satin, Posh ≥P1 (12-24) Matt ≥P2(25-34)	BS 7976-2
Slip resistance - (Satin / Matt (DCOF) (R value)##	as per mfg.	R9 to R13**	DIN 51130
Fire resistance	as per mfg.	Fire Proof	N.A.

PACKING DETAILS

SIZE	ACTUAL SIZE	THICKNESS	TILES / BOX	COVERAGE AREA / BOX
60x120cm	600x1200mm	8.5mm	3 pcs.	2.16 sq. mtr. 23.25 sq. ft.
60x120cm	600x1200mm	8.5mm	2 pcs.	1.44 sq. mtr. 15.50 sq. ft.



LIZON CERAMICA LLP

NH 8/A, Matel Dhuvu Rd, Lakadhar,
Wankaner, Morbi, Gujarat 363621

E-mail : info@lizonceramica.com | Call : +91 9913077772

www.lizonceramica.com