

**hizon**  
CERAMICA

*Rediscover Luxury*  
WITH THE SOPHISTICATION

600x1200MM

**NORDIK** | *Grainstone*  
COLLECTION COLLECTION







# about US

*Artistry of the nature*

Welcome to Lizon Ceramica, your premier destination for top-quality ceramic tiles. Situated in the vibrant city of Morbi, Gujarat, we pride ourselves on our commitment to excellence in tile production.

At Lizon Ceramica, we specialize in crafting premium ceramic tiles that embody both style and durability. With state-of-the-art manufacturing facilities and a dedicated team of professionals, we ensure that each tile that bears our name meets the highest standards of quality and craftsmanship. Our extensive range of ceramic tiles caters to a diverse array of design preferences and architectural styles. From sleek and modern designs to timeless classics, we offer a comprehensive selection that empowers our customers to bring their creative visions to life.

We understand the importance of sustainability in today's world, which is why we prioritize eco-friendly manufacturing practices throughout our production process. By incorporating cutting-edge technologies and sustainable materials, we strive to minimize our environmental footprint while delivering exceptional products to our customers.



# WHERE INNOVATION MEETS TECHNOLOGY

Ceramic industry is one of the most prosperous sector in our country. While technology is rolling over every other field and improving the standard of production, our company also hoes hand in hand by digitizing itself to provide the promised service and value of their money to our clients and customers.

**KEDA**



**MODENA**

**HLT**





**NORDIK** | *Grainstone*  
COLLECTION COLLECTION

**600x1200MM**

A fusion of art and utility,  
turning every space into a masterpiece.





# UNMATCHED ELEGANCE AND STRENGTH

In this time and age, hygiene, cleanliness and comfort is a priority and everyone requires a place where they feel completely at home. The multifaceted surfaces of this collection make everyday life easier while achieving distinction in the decor segment for every home and public area. These surfaces with their convenient features offer an ideal tiling solution for a modern lifestyle.



HIGH  
STRENGTH



EASY  
MAINTENANCE



SOUND  
REDUCTION



DIMENSIONAL  
STABILITY



HYGIENIC  
SURFACE



WATER  
RESISTANT



FIRE  
RESISTANT



CHEMICAL  
RESISTANT



IMPACT  
RESISTANCE



THERMAL  
RESISTANCE






# APPLICATION AREA

---

Design any surface or volume from the Synergy between wit, evolution, and material, to develop all types of continuous surfaces worktops, counters and furniture among Other applications.



LIVING  
AREA



CORPORATE  
OFFICES



MALLS &  
RESTAURANT



INTERIORS &  
COUNTERTOPS




HOSPITALS  
AREA



GYM &  
URBAN CENTERS



LIVE LARGER THAN  
LIFE WITH THE  
SPECTACULAR  
CREATION OF TILES








## DC\_3003

Finish :  
**GLOSSY SURFACE**

Thickness :  
**8.5MM**

Size :  
**600X1200MM**  
**60X120CM**  
**2'X4'**





FLOOR : 3003 (NORDIK COLLECTION) / 600x1200MM








## DC\_3001

Finish :  
**GLOSSY SURFACE**

Thickness :  
**8.5MM**

Size :  
**600X1200MM**  
**60X120CM**  
**2'X4'**





## DC\_3002

Finish :  
**GLOSSY SURFACE**

Thickness :  
**8.5MM**

Size :  
**600X1200MM**  
**60X120CM**  
**2'X4'**









## DC\_3004

Finish :  
**GLOSSY SURFACE**

Thickness :  
**8.5MM**

Size :  
**600X1200MM**  
**60X120CM**  
**2'X4'**





## DC\_3005

Finish :  
**GLOSSY SURFACE**

Thickness :  
**8.5MM**

Size :  
**600X1200MM**  
**60X120CM**  
**2'X4'**









## DC\_3006

Finish :  
**GLOSSY SURFACE**

Thickness :  
**8.5MM**

Size :  
**600X1200MM**  
**60X120CM**  
**2'X4'**





FLOOR : 3006 (NORDIK COLLECTION) / 600x1200MM








## DC\_3007

Finish :  
**GLOSSY SURFACE**

Thickness :  
**8.5MM**

Size :  
**600X1200MM**  
**60X120CM**  
**2'X4'**





## DC\_3008

Finish :  
**GLOSSY SURFACE**

Thickness :  
**8.5MM**

Size :  
**600X1200MM**  
**60X120CM**  
**2'X4'**









## DC\_3009

Finish :  
**GLOSSY SURFACE**

Thickness :  
**8.5MM**

Size :  
**600X1200MM**  
**60X120CM**  
**2'X4'**












## DC\_3010

Finish :  
**GLOSSY SURFACE**

Thickness :  
**8.5MM**

Size :  
**600X1200MM**  
**60X120CM**  
**2'X4'**





## DC\_3011

Finish :  
**GLOSSY SURFACE**

Thickness :  
**8.5MM**

Size :  
**600X1200MM**  
**60X120CM**  
**2'X4'**








## DC\_3012

Finish :  
**GLOSSY SURFACE**

Thickness :  
**8.5MM**

Size :  
**600X1200MM**  
**60X120CM**  
**2'X4'**





FLOOR : 3012 (NORDIK COLLECTION) / 600x1200MM









## DC\_3013

Finish :  
**GLOSSY SURFACE**

Thickness :  
**8.5MM**

Size :  
**600X1200MM**  
**60X120CM**  
**2'X4'**




## DC\_3014

Finish :  
**GLOSSY SURFACE**

Thickness :  
**8.5MM**

Size :  
**600X1200MM**  
**60X120CM**  
**2'X4'**









## DC\_3015

Finish :  
**GLOSSY SURFACE**

Thickness :  
**8.5MM**

Size :  
**600X1200MM**  
**60X120CM**  
**2'X4'**




## DC\_3016

Finish :  
**GLOSSY SURFACE**

Thickness :  
**8.5MM**

Size :  
**600X1200MM**  
**60X120CM**  
**2'X4'**








## DC\_3018

Finish :  
**GLOSSY SURFACE**

Thickness :  
**8.5MM**

Size :  
**600X1200MM**  
**60X120CM**  
**2'X4'**













## DC\_3019

Finish :  
**GLOSSY SURFACE**

Thickness :  
**8.5MM**

Size :  
**600X1200MM**  
**60X120CM**  
**2'X4'**





## DC\_3020

Finish :  
**GLOSSY SURFACE**

Thickness :  
**8.5MM**

Size :  
**600X1200MM**  
**60X120CM**  
**2'X4'**









## DC\_3021

Finish :  
**GLOSSY SURFACE**

Thickness :  
**8.5MM**

Size :  
**600X1200MM**  
**60X120CM**  
**2'X4'**




## DC\_3022

Finish :  
**GLOSSY SURFACE**

Thickness :  
**8.5MM**

Size :  
**600X1200MM**  
**60X120CM**  
**2'X4'**









## DC\_3026

Finish :  
**GLOSSY SURFACE**

Thickness :  
**8.5MM**

Size :  
**600X1200MM**  
**60X120CM**  
**2'X4'**





FLOOR : 3026 (NORDIK COLLECTION) / 600x1200MM









## DC\_3024

Finish :  
**GLOSSY SURFACE**

Thickness :  
**8.5MM**

Size :  
**600X1200MM**  
**60X120CM**  
**2'X4'**





## DC\_3025

Finish :  
**GLOSSY SURFACE**

Thickness :  
**8.5MM**

Size :  
**600X1200MM**  
**60X120CM**  
**2'X4'**








## DC\_3027

Finish :  
**GLOSSY SURFACE**

Thickness :  
**8.5MM**

Size :  
**600X1200MM**  
**60X120CM**  
**2'X4'**





## DC\_3028

Finish :  
**GLOSSY SURFACE**

Thickness :  
**8.5MM**

Size :  
**600X1200MM**  
**60X120CM**  
**2'X4'**









## DC\_3023

Finish :  
**GLOSSY SURFACE**

Thickness :  
**8.5MM**

Size :  
**600X1200MM**  
**60X120CM**  
**2'X4'**





FLOOR : 3023 (NORDIK COLLECTION) / 600x1200MM









## DC\_3017

Finish :  
**GLOSSY SURFACE**

Thickness :  
**8.5MM**

Size :  
**600X1200MM**  
**60X120CM**  
**2'X4'**





## DC\_3033

Finish :  
**GLOSSY SURFACE**

Thickness :  
**8.5MM**

Size :  
**600X1200MM**  
**60X120CM**  
**2'X4'**








## DC\_3032

Finish :  
**GLOSSY SURFACE**

Thickness :  
**8.5MM**

Size :  
**600X1200MM**  
**60X120CM**  
**2'X4'**





FLOOR : 3032 (NORDIK COLLECTION) / 600x1200MM








## DC\_3029

Finish :  
**GLOSSY SURFACE**

Thickness :  
**8.5MM**

Size :  
**600X1200MM**  
**60X120CM**  
**2'X4'**





## DC\_3030

Finish :  
**GLOSSY SURFACE**

Thickness :  
**8.5MM**

Size :  
**600X1200MM**  
**60X120CM**  
**2'X4'**








## DC\_3031

Finish :  
**GLOSSY SURFACE**

Thickness :  
**8.5MM**

Size :  
**600X1200MM**  
**60X120CM**  
**2'X4'**





FLOOR : 3031 (NORDIK COLLECTION) / 600x1200MM








**lizon**  
CERAMICA

*Timeless Patterns*  
FOR CLASSIC GRACE

*Grainstone*  
COLLECTION








# GRANITE\_01

Finish :  
**GLOSSY SURFACE**

Thickness :  
**8.5MM**

Size :  
**600X1200MM**  
**60X120CM**  
**2'X4'**






FLOOR & WALL : GRANITE 01 (GRAINSTONE COLLECTION) / 600x1200MM








# GRANITE\_02


Finish :  
**GLOSSY SURFACE**

Thickness :  
**8.5MM**

Size :  
**600X1200MM**  
**60X120CM**  
**2'X4'**








# GRANITE\_03


Finish :  
**GLOSSY SURFACE**

Thickness :  
**8.5MM**

Size :  
**600X1200MM**  
**60X120CM**  
**2'X4'**








# GRANITE\_04


Finish :  
**GLOSSY SURFACE**

Thickness :  
**8.5MM**

Size :  
**600X1200MM**  
**60X120CM**  
**2'X4'**








## GRANITE\_05


Finish :  
**GLOSSY SURFACE**

Thickness :  
**8.5MM**

Size :  
**600X1200MM**  
**60X120CM**  
**2'X4'**








## GRANITE\_06

Finish :  
**GLOSSY SURFACE**

Thickness :  
**8.5MM**

Size :  
**600X1200MM**  
**60X120CM**  
**2'X4'**







FLOOR : GRANITE 06 (GRAINSTONE COLLECTION) / 600x1200MM









## **GRANITE\_07**

Finish :  
**GLOSSY SURFACE**

Thickness :  
**8.5MM**

Size :  
**600X1200MM**  
**60X120CM**  
**2'X4'**





## **GRANITE\_08**

Finish :  
**GLOSSY SURFACE**

Thickness :  
**8.5MM**



Size :  
**600X1200MM**  
**60X120CM**  
**2'X4'**



FLOOR : GRANITE 08 (GRAINSTONE COLLECTION) / 600x1200MM









## **GRANITE\_09**

Finish :  
**GLOSSY SURFACE**

Thickness :  
**8.5MM**

Size :  
**600X1200MM**  
**60X120CM**  
**2'X4'**





## **GRANITE\_10**

Finish :  
**GLOSSY SURFACE**

Thickness :  
**8.5MM**


Size :  
**600X1200MM**  
**60X120CM**  
**2'X4'**



FLOOR : GRANITE 10 (GRAINSTONE COLLECTION) / 600x1200MM







## **GRANITE\_11**

Finish :  
**GLOSSY SURFACE**

Thickness :  
**8.5MM**

Size :  
**600X1200MM**  
**60X120CM**  
**2'X4'**



## TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.B1a	MEAN VALUE OF LIZON	TEST METHOD
<b>Regulatory Properties</b>			
Deviation in length and width	± 0.30 % (±1.00mm)	± 0.10 %	ISO 10545-2
Deviation in thickness	± 5.00 % (±0.50mm)	± 4.00 %	ISO 10545-2
Straightness in side	± 0.30 % (±0.80mm)	± 0.10 %	ISO 10545-2
Rectangularity	± 0.30 % (±1.50mm)	± 0.10 %	ISO 10545-2
Surface flatness central curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
Surface flatness edge curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
Surface flatness warpage	± 0.40 % (±1.80mm)	± 0.10 %	ISO 10545-2
Surface quality	> 95% defects free	> 95% defects free	ISO 10545-2
Small Color Difference(For Plain Color)	ΔE < 1.00	ΔE < 0.30	ISO 10545-16
Glossiness (Polished)	as per mfg.	Gloss Value > 90	Glossmeter 60°
Glossiness (Matt)	as per mfg.	3° < GLOSS < 7°	Glossmeter 60°
Glossiness (satin/Posh)	as per mfg.	7° < GLOSS < 18°	Glossmeter 60°
<b>Structural Properties</b>			
Water absorption	0.50 % ≤ Ev ≤ 3.00 %	0.060 % ≤ Ev ≤ 3.00 %	ISO 10545-3
Bulk density	as per mfg.	> 2.28 gm/cc	ISO 10545-3
<b>Massive Mechanical Properties</b>			
Modulus of rupture	Min. 30.0 N/mm <sup>2</sup>	Min. 35.0 N/mm <sup>2</sup>	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 700.0 N	Min. 1000.0 N	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 1100.0 N	Min. 1300.0 N	ISO 10545-4
Breaking strength thickness ≥7.5(For ≥15mm)	Min. 1100.0 N	Min. 1800.0 N	ISO 10545-4
<b>Surface Mechanical Properties</b>			
MOH'S hardness	as per mfg.	Polished Min 4* / Satin, Posh & Matt Min 6	BS EN 15771
Surface abrasion resistance	as per mfg.	Polish Min. Class 2, Satin & Posh Min. Class 3, & Matt Min. Class 4	ISO 10545-7
Deep abrasion resistance	Max. 175mm <sup>3</sup>	Max. 132mm <sup>3</sup>	ISO 10545-6
<b>Thermal Hydrometric Properties</b>			
Moisture expansion	Max. 0.06%(0.6mm/m)	0.02mm/m	ISO 10545-10
Thermal expansion(COE) at 100°C	as per mfg.	Max. 6.0 x 10 <sup>-6</sup>	ISO 10545-8
Thermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Impact resistance(COR)	Min. 0.55	Min. 0.55	ISO 10545-5
Frost resistance	as per mfg.	Frost Proof	ISO 10545-12
<b>Chemical Properties</b>			
Resistance to staining glazed	Min. Class 3	Min. Class 4	ISO 10545-14
Resistance to household chemicals & swimming pool salts glazed	Min. Class GB	Min. Class GA	ISO 10545-13
Resistance to low concentrate acid and alkalis glazed	as per mfg.	Min. Class GLA**	ISO 10545-13
Resistance to high concentrate acid and alkalis unglazed	as per mfg.	Min. Class GHB**	ISO 10545-13
<b>Safety Properties</b>			
Skid resistance (COF-WET PENDULAM)##	as per mfg.	Glossy P0(<12), Satin, Posh ≥P1(12-24) Matt ≥P2(25-34)	BS 7976-2
Slip resistance - (Satin / Matt (DCOF) (R value)##	as per mfg.	R9 to R13**	DIN 51130
Fire resistance	as per mfg.	Fire Proof	N.A.

## PACKING DETAILS

SIZE	ACTUAL SIZE	THICKNESS	TILES / BOX	COVERAGE AREA / BOX
60x120cm	600x1200mm	8.5mm	3 pcs.	2.16 sq. mtr. 23.25 sq. ft.
60x120cm	600x1200mm	8.5mm	2 pcs.	1.44 sq. mtr. 15.50 sq. ft.



## LIZON CERAMICA LLP

NH 8/A, Matel Dhruva Rd, Lakadhar,  
Wankaner, Morbi, Gujarat 363621

E-mail : info@lizonceramica.com | Call : +91 9913077772

www.lizonceramica.com